

CONTENTS

THE URBAN COLLECTION	PAGE 6
OAK DOORS	PAGE 30
WALNUT DOORS	PAGE 84
GREY ASH DOORS	PAGE 98
HUE BY DEANTA	PAGE 108
WHITE PRIMED DOORS	PAGE 112
FOLDING SYSTEMS	PAGE 142
POCKET DOOR SYSTEMS	PAGE 148
SKIRTING, ARCHITRAVE & DOOR LINING	PAGE 154
HARDWARE	PAGE 158
DEANTA ARCHITECTURAL	PAGE 168
DEANTA BESPOKE	PAGE 172
BESPOKE GLAZING	PAGE 174
FIRE SAFETY	PAGE 176
BEING RESPONSIBLE	PAGE 178
INFORMATION	PAGE 180

ABOUT DEANTA

We are not just another door company. We manufacture a wide range of beautifully designed stylish interior doors for the UK market. Our doors are made to the highest possible standard with only the finest materials and unsurpassed craftsmanship, ensuring you always get the best from your Deanta door. With over 20 years' experience in interior door design, manufacture and supply, Deanta has built a reputation for quality coupled with forward-thinking innovation.

OUR COMMITMENT TO QUALITY

Customer satisfaction is Deanta's highest priority. We achieve this by continuously pushing the boundaries to ensure that our products and services surpass the needs of our customers and inspire end-users. As a UK manufacturer producing doors, glazing options and ancillary products in-house we are able to ensure high quality production and an uninterrupted, managed supply chain. We are confident that every Deanta door is expertly made from quality materials, ensuring you get the best from your contemporary Deanta door. Deanta only ever produce robust, solid core doors that are finished with specially selected crown cut and diamond cut veneers from North America. Our prefinished black and white primed doors also feature solid cores providing extra strength and stability, making them the best in the UK market. With the largest solid lippings available in the UK internal door market, our doors can be adapted to fit into any size opening.

Our design team take inspiration from the latest interior design trends to create new, exciting styles to add to our ever-growing collection. And our rigorous testing procedures ensure that only the best doors make it to market.

OUR COMMITMENT TO SAFETY

Fire safety is at the core of our business. Deanta fire doors are extensively tested by independent third party certification schemes to ensure the maximum level of safety. All our fire doors are certified under the BM-TRADA Q-Mark scheme or have Certifire accreditation.

OUR COMMITMENT TO THE ENVIRONMENT

Our vision is to revolutionise the door industry and we have a strong set of beliefs that run through everything we do. We are passionate about protecting the environment – both our own and the bigger picture. To this end we are constantly pushing the boundaries to ensure that, as part of our corporate social responsibility, we develop ways to reduce, reuse and recycle the resources we use.



ARRIVING SUMMER, 2021

THE URBAN COLLECTION



The Urban Collection

The Urban Collection is our new range of industrial-style doors. It takes inspiration from the stripped back, lofty look of warehouses, factories and other industrial structures and features a range of four striking panelled door styles to bring the industrial design look to your home.

The Urban Collection consists of the Dalston, the Brixton, the Shoreditch and the Camden designs, available in a solid door to make a bold industrial statement or glazed versions for a lighter look. The Urban Collection is finished in strong black ready for installation, or white primed for a one-coat finish of your choice.

Hardware

The Urban Collection Hardware has been specifically designed to accessorise the Urban doors and accentuate the industrial look. Choose from three stylish handle designs available in solid black, satin brass or satin nickel and chrome polish finish. Accessorise further from the range of matching hinges and locks to get the perfect, on-trend industrial style door for any interior.









Juno in satin brass and matt black

Brixton

Camden clear glazed

Dalston



Brixton clear glazed



URBAN COLLECTION / BLACK

Features

- + Prefinished and ready to hang
- + Choice of glazing options clear toughened glass or tinted glass
- + Solid softwood core for extra strength, stability and robustness
- + 3mm can be taken off the width and height of each door
- + Suitable for installation with Deanta Pocket Door Systems
- + Extensive range of compatible door ironmongery to complement the look
- + Covered by Deanta 10 year warranty



10 WARRANTY

SOLID

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm



COMPLETE THE LOOK Featured handle - Argo (page 161)

BRIXTON

CLEAR GLAZED

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm

TINTED GLAZED

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm



10 WARRANTY

SOLID

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm



COMPLETE THE LOOK Featured skirting and architrave - Shaker (page 156) | Featured handle - Argo (page 161)

Featured skirting and architrave - Shaker | Featured handle - Argo

CAMDEN

CLEAR GLAZED

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm

TINTED GLAZED

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm



SOLID

SIZES

1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm



Featured skirting and architrave - Shaker | Featured handle - Ares

DALSTON

CLEAR GLAZED

SIZES

1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm

TINTED GLAZED

SIZES

1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm



COMPLETE THE LOOK Featured handle - Juno (page 161)



SOLID

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm

SHOREDITCH

CLEAR GLAZED

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm

TINTED GLAZED

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm



NEW FOR 2021 / THE URBAN COLLECTION



URBAN COLLECTION / WHITE

Features

- + White primed, ready for a one-coat finish of your choice
- + Choice of glazing options clear toughened glass or tinted glass
- + Solid softwood core for extra strength, stability and robustness
- + 3mm can be taken off the width and height of each door
- + Suitable for installation with Deanta Pocket Door Systems
- + Extensive range of compatible door ironmongery to complement the look
- + Covered by Deanta 10 year warranty



SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm

BRIXTON

CLEAR GLAZED

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm

TINTED GLAZED

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm







SOLID

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm



COMPLETE THE LOOK Featured skirting and architrave - Shaker (page 156) | Featured handle - Argo (page 161)

PAGE | 22

Featured skirting and architrave - Shaker | Featured handle - Argo

CAMDEN

CLEAR GLAZED

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm

TINTED GLAZED

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm



PAGE I 24



SOLID

SIZES

1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm



COMPLETE THE LOOK Featured skirting and architrave - Shaker (page 156) | Featured handle - Argo (page 161)

Featured skirting and architrave - Shaker | Featured handle - Ares

DALSTON

CLEAR GLAZED

SIZES

1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm

TINTED GLAZED

SIZES

1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm





10 WARRANTY

SOLID

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm



Featured skirting and architrave - Shaker | Featured handle - Juno

PAGE I 26

SHOREDITCH

CLEAR GLAZED

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm

TINTED GLAZED

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm





OAK COLLECTION

Features

- + Choice of finish unfinished or prefinished with real American white oak veneer
- + Crown cut veneer / diamond cut veneer
- + All prefinished doors are FSC® certified
- + Choice of glazing options clear toughened glass, frosted glass, bevelled glass or v-groove glass
- + Solid core for extra strength, stability and robustness
- + 32mm can be taken off the width and height of standard doors.
- + Please refer to our website for details of trimming fire doors
- + Bespoke sizes are available
- + Covered by Deanta 10 year warranty



- 1981 x 610 x 35mm / 44mm 🌢 1981 x 686 x 35mm / 44mm 🎍
- 1981 x 838 x 35mm / 44mm 🎍

Certifire-approved & BM TRADA Q-Mark





Featured skirting and architrave - Shaker, white primed

COMPLETE THE LOOK Featured skirting and architrave - Half splayed, white primed (page 157) | Featured handle - Fortuna (page 160)

AMALFI PREFINISHED OAK

GLAZED OPTION

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm

Available with clear toughened glass.









Featured skirting and architrave - Ulysses, white primed | Featured handle - Invictus

AUGUSTA PREFINISHED OAK

GLAZED OPTION

SIZES

1981	x 610 x 35mm / 44mm	۵
1981	x 686 x 35mm / 44mm	۵
1981	x 762 x 35mm / 44mm	۵
1981	x 838 x 35mm / 44mm	۵

Available with clear toughened glass. Bespoke glazing available.













SIZES

- 1981 x 610 x 35mm / 44mm 🎍 1981 x 686 x 35mm / 44mm 🎍 1981 x 762 x 35mm / 44mm 🎍
- 1981 x 838 x 35mm / 44mm 🎍

Fire door option.

BM TRADA Q-Mark





Featured skirting and architrave - Victoriana, white primed | Featured handle - Fortuna

BIARRITZ PREFINISHED OAK

GLAZED OPTION

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm

Available with clear bevelled glass.







BRISTOL UNFINISHED OAK

GLAZED OPTION

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm

Available with clear bevelled glass.





COMPLETE THE LOOK Featured skirting and architrave - Shaker, white primed (page 157) | Featured handle - Veritas (page 160)

PAGE I 38

Featured skirting and architrave - Half splayed, white primed | Featured handle - Augustus

BURY PREFINISHED OAK

GLAZED OPTION

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2032 x 813 x 35mm 2040 x 626 x 40mm 2040 x 726 x 40mm 2040 x 826 x 40mm

Available with clear bevelled glass.



UKAS







SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm 🌢 1981 x 686 x 35mm / 44mm 🎍
- 1981 x 762 x 35mm / 44mm 🎍
- 1981 x 838 x 35mm / 44mm 🌢

Fire door option.

Certifire-approved & BM TRADA Q-Mark





Featured skirting and architrave - Shaker, oak | Featured handle - Augustus

CADIZ PREFINISHED OAK

GLAZED OPTION

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm

Available with clear toughened glass.









Featured skirting and architrave - Victoriana, white primed | Featured handle - Hadrian

CAMBRIDGE UNFINISHED OAK

GLAZED OPTION

SIZES 1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2032 x 813 x 35mm

Available with frosted toughened glass.







COMPLETE THE LOOK Featured skirting and architrave - Half splayed, white primed (page 157) | Featured handle - Augustus (page 160)

4

AGE

Featured skirting and architrave - Shaker, oak | Featured handle - Fortuna







46 PAGE I



SIZES

Fire door option.

Solid FD30 doors

Certifire-approved & BM TRADA Q-Mark





Featured skirting and architrave - Half splayed, white primed | Featured handle - Fortuna

ELY PREFINISHED & UNFINISHED OAK

SOLID OPTION

5mm	2032 x 813 x 35mm	
5mm	2040 x 526 x 40mm	
5mm / 44mm 🍐	2040 x 626 x 40mm	
5mm / 44mm 🍐	2040 x 726 x 40mm / 44mm 🎍	
5mm	2040 x 826 x 40mm / 44mm 🍐	
5mm / 44mm 🍐	2040 x 926 x 40mm / 44mm 🍐	
5mm / 44mm 🍐		
n.		
rs acoustic tested up to 310	dB Bespoke glazing options available.	

Only prefinished door is FSC®-certified









ELY 1L

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm

Available with v-grooved glass.

Only prefinished door is FSC®-certified







Ely 1L | Featured skirting and architrave - Half splayed, white primed | Featured handle - Fortuna

COMPLETE THE LOOK Ely 1L Full | Featured skirting and architrave - Shaker, oak (page 157) | Featured handle - Hadrian (page 160)

ELY PREFINISHED & UNFINISHED OAK

ELY 1L FULL

SIZES 1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm

Available with v-grooved glass.



ELY 5L

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm

Available with clear toughened glass. Prefinished only.

Only prefinished door is FSC®-certified



10	
WARRANTY	



COMPLETE THE LOOK Ely 5L | Featured skirting and architrave - Half splayed, oak (page 157) | Featured handle - Fortuna (page 160)

ELY PREFINISHED & UNFINISHED OAK

ELY 6L

SIZES 1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 626 x 40mm 2040 x 726 x 40mm 2040 x 826 x 40mm

Available with clear bevelled glass.



I 52 PAGE



ntrada

UKAS

ETON UNFINISHED OAK

GLAZED OPTION

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm

Available with clear toughened glass.







SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm 🌢 1981 x 686 x 35mm / 44mm 🎍
- 1981 x 762 x 35mm / 44mm 🎍 1981 x 838 x 35mm / 44mm 🎍
- Fire door option.

Solid FD30 doors acoustic tested up to 31dB Certifire-approved & BM TRADA Q-Mark

> Fire Door Manufacture



GALWAY UNFINISHED OAK

LEDGE & BRACE

SIZES

- 1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm
- 1981 x 838 x 35mm

GLAZED OPTION

SIZES

1981 x 610 x 35mm / 44mm	۵
1981 x 686 x 35mm / 44mm	۵
1981 x 762 x 35mm / 44mm	۵
1981 x 838 x 35mm / 44mm	۵

Available with clear toughened glass.









COMPLETE THE LOOK Featured skirting and architrave - Half splayed, white primed (page 157) | Featured handle - Invictus (page 160)

Featured skirting and architrave - Traditional, oak | Featured handle - Hadrian

KENSINGTON PREFINISHED OAK

GLAZED OPTION

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2032 x 813 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm

Available with clear bevelled glass.







COMPLETE THE LOOK Featured skirting and architrave - Victoriana, white primed (page 157) | Featured handle - Fortuna (page 160)

Featured skirting and architrave - Shaker, oak | Featured handle - Augustus

KERRY UNFINISHED OAK

GLAZED OPTION

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm

Available with clear bevelled glass.





COMPLETE THE LOOK Featured skirting and architrave - Half splayed, oak (page 157) | Featured handle - Fortuna (page 160)

KINGSTON UNFINISHED OAK

SOLID OPTION

- 2032 x 813 x 35mm 2040 x 626 x 40mm
- 2040 x 726 x 40mm / 44mm 🎍
- 2040 x 826 x 40mm / 44mm 🎍





NORWICH UNFINISHED OAK

GLAZED OPTION

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm

Available with clear bevelled glass.









SIZES 1981 x 610 x 35mm / 44mm 🌢 1981 x 686 x 35mm / 44mm 🎍 1981 x 762 x 35mm / 44mm 🎍 1981 x 838 x 35mm / 44mm 🌢

Fire door option.

BM TRADA Q-Mark





Featured skirting and architrave - Victoriana, white primed | Featured handle - Hadrian

PAGE I

OXFORD PREFINISHED OAK

SOLID OPTION

- 2032 x 813 x 35mm 2040 x 626 x 44mm 🎍
- 2040 x 726 x 40mm
- 2040 x 826 x 40mm









ntrada

UKAS

PAMPLONA PREFINISHED OAK

GLAZED OPTION

SIZES

1981	x 610 x 35mm / 44mm	۵
1981	x 686 x 35mm / 44mm	۵
1981	x 762 x 35mm / 44mm	۵
1981	x 838 x 35mm / 44mm	۵

Available with clear toughened glass. Bespoke glazing options available.











SOLID OPTION

SIZES

- 1981 x 610 x 35mm / 44mm 🌢 1981 x 686 x 35mm / 44mm 🎍
- 1981 x 762 x 35mm / 44mm 🎍
- 1981 x 838 x 35mm / 44mm 🎍
- Fire door option.

Certifire-approved & BM TRADA Q-Mark





Featured skirting and architrave - Shaker, white primed | Featured handle - Augustus

RAVELLO PREFINISHED OAK

GLAZED OPTION

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm

Available with clear toughened glass.





70 PAGE



SOLID OPTION

1981 x 457 x 35mm 1981 x 533 x 35mm / 44mm 🎍 1981 x 610 x 35mm / 44mm 🎍 1981 x 686 x 35mm / 44mm 🎍 1981 x 711 x 35mm 1981 x 762 x 35mm / 44mm 🎍 1981 x 838 x 35mm / 44mm 🌢

Fire door option.

Solid FD30 doors acoustic tested up to 31dB

Certifire-approved & BM TRADA Q-Mark





SEVILLE PREFINISHED OAK

- 2032 x 813 x 35mm
- 2040 x 526 x 40mm
- 2040 x 626 x 40mm / 44mm 🌢
- 2040 x 726 x 40mm / 44mm 🌢
- 2040 x 826 x 40mm / 44mm 🌢
- 2040 x 926 x 40mm / 44mm 🌢

GLAZED OPTION

SIZES

- 1981 x 610 x 35mm / 44mm 🌢 1981 x 686 x 35mm / 44mm 🌢 1981 x 762 x 35mm / 44mm 🎍 1981 x 838 x 35mm / 44mm 🌢 2032 x 813 x 35mm 2040 x 726 x 40mm
- 2040 x 826 x 40mm

Available with clear toughened glass. Bespoke glazing options available.




COMPLETE THE LOOK Seville 4LS | Featured skirting and architrave - Half splayed, white primed (page 157) | Featured handle - Augustus (page 160)

PAGE I 72

Seville 4L | Featured skirting and architrave - Half splayed, white primed | Featured handle - Fortuna



SIZES

- 1981 x 610 x 35mm / 44mm 🌢 1981 x 686 x 35mm / 44mm 🎍 1981 x 762 x 35mm / 44mm 🎍
- 1981 x 838 x 35mm / 44mm 🎍
- Fire door option.

Certifire-approved & BM TRADA Q-Mark





COMPLETE THE LOOK Featured skirting and architrave - Half splayed, white primed (page 157) | Featured handle - Hadrian (page 160)

Featured skirting and architrave - Shaker, oak | Featured handle - Hadrian

SORRENTO PREFINISHED OAK

GLAZED OPTION

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm

Available with clear toughened glass.









SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm / 44mm 🎍 1981 x 762 x 35mm / 44mm 🎍 1981 x 838 x 35mm / 44mm 🎍

Fire door option.

Certifire-approved & BM TRADA Q-Mark





Featured skirting and architrave - Shaker, oak | Featured handle - Augustus

TORINO PREFINISHED OAK

GLAZED OPTION

SIZES

1981 x 610 x 35mm	
1981 x 686 x 35mm / 44mm	۵
1981 x 762 x 35mm / 44mm	۵
1981 x 838 x 35mm / 44mm	۵

Available with clear toughened glass. Bespoke glazing options available.









SIZES

- 1981 x 610 x 35mm / 44mm 🌢 1981 x 686 x 35mm / 44mm 🎍 1981 x 762 x 35mm / 44mm 🎍
- 1981 x 838 x 35mm / 44mm 🎍
- Fire door option.

BM TRADA Q-Mark



Featured skirting and architrave - Traditional, oak | Featured handle - Hadrian

WALDEN UNFINISHED OAK

GLAZED OPTION

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm

Available with clear toughened or frosted glass.









SOLID OPTION

- 1981 x 610 x 35mm / 44mm 🌢 1981 x 686 x 35mm / 44mm 🎍 1981 x 762 x 35mm / 44mm 🎍
- 1981 x 838 x 35mm / 44mm 🎍
- Fire door option.
- BM TRADA Q-Mark



WINDSOR PREFINISHED OAK

GLAZED OPTION

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm

Available with clear bevelled glass.







82 GE |

WALNUT COLLECTION

Features

- + Prefinished with real American black walnut veneer
- + Crown cut veneer / diamond cut veneer
- + FSC[®] certified timber
- + Solid core for extra strength, stability and robustness
- + Choice of glazing options clear toughened glass, frosted glass, bevelled glass or v-groove glass
- + Aluminium inlays
- + 32mm can be taken off the width and height of standard doors.
- + Please refer to our website for details of trimming fire doors
- + Bespoke sizes are available
- + Covered by Deanta 10 year warranty



CADIZ PREFINISHED WALNUT

GLAZED OPTION

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm

Available with clear toughened glass.



UKAS









Fire Door

Manufacture

COVENTRY PREFINISHED WALNUT

GLAZED OPTION

SIZES 1981 x 610 x 35mm 1981 x 686 x 35mm / 44mm 🎍 1981 x 762 x 35mm / 44mm 🎍 1981 x 838 x 35mm / 44mm 🎍

Available with clear toughened or frosted glass. Fire door options clear glazed only.







KENSINGTON PREFINISHED WALNUT

GLAZED OPTION

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2032 x 813 x 35mm

Available with clear bevelled glass.













- 1981 x 610 x 35mm / 44mm 🌢 1981 x 686 x 35mm / 44mm 🎍 1981 x 762 x 35mm / 44mm 🎍
- 1981 x 838 x 35mm / 44mm 🎍
- Fire door option.

Solid FD30 doors acoustic tested up to 31dB Certifire-approved & BM TRADA Q-Mark





PAMPLONA PREFINISHED WALNUT

GLAZED OPTION

SIZES

1981 x 610 x 35mm / 44n	nm 🌢	
1981 x 686 x 35mm / 44n	nm 🌢	
1981 x 762 x 35mm / 44n	nm 🎍	•
1981 x 838 x 35mm / 44n	nm 🌢	•

Available with clear toughened glass. Bespoke glazing options available.









SIZES

- 1981 x 457 x **44mm** -1981 x 533 x 35mm / 44mm 🎍 1981 x 610 x 35mm / 44mm 🎍 1981 x 686 x 35mm / 44mm 🎍 1981 x 762 x 35mm / 44mm 🎍 1981 x 838 x 35mm / 44mm 🎍
- Fire door option.

Solid FD30 doors acoustic tested up to 31dB Certifire-approved & BM TRADA Q-Mark





Featured skirting and architrave - Half splayed, white primed | Featured handle - Invictus

SEVILLE PREFINISHED WALNUT

2040 x 726 x 40mm / 44mm 🌢 2040 x 826 x 40mm / 44mm 🌢 2040 x 926 x 40mm

GLAZED OPTION

SIZES

- 1981 x 610 x 35mm / 44mm 🌢
- 1981 x 686 x 35mm / 44mm 🌢
- 1981 x 762 x 35mm / 44mm 🎍
- 1981 x 838 x 35mm / 44mm 🎍 2040 x 726 x 40mm
- 2040 x 826 x 40mm

Available with clear toughened glass. Bespoke glazing options available.









- 1981 x 610 x 35mm / 44mm 🌢 1981 x 686 x 35mm / 44mm 🎍
- 1981 x 762 x 35mm / 44mm 🎍 1981 x 838 x 35mm / 44mm 🎍
- Fire door option.

Certifire-approved & BM TRADA Q-Mark





COMPLETE THE LOOK Featured skirting and architrave - Ulysses, white primed (page 157) | Featured handle - Augustus (page 160)

VALENCIA PREFINISHED WALNUT

GLAZED OPTION

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm

Available with v-grooved glass. Bespoke glazing options available.









ASH COLLECTION

Features

- + Prefinished with a dark grey or light grey ash veneer
- + Crown cut veneer
- + FSC® certified timber
- + Solid core for extra strength, stability and robustness
- + Glazing options with clear toughened glass
- + 32mm can be taken off the width and height of standard doors
- + Please refer to our website for details of trimming fire doors
- + Bespoke sizes are available
- + Covered by Deanta 10 year warranty



Featured skirting and architrave - Half splayed, white primed | Featured handle - Fortuna

















Featured skirting and architrave - Half splayed, white primed









Featured skirting and architrave - Shaker, white primed | Featured handle - Fortuna

TORINO PREFINISHED LIGHT GREY ASH

GLAZED OPTION

SIZES 1981 x 610 x 35mm 1981 x 686 x 35mm / 44mm 🎍 1981 x 762 x 35mm / 44mm 🎍 1981 x 838 x 35mm / 44mm 🎍

Available with clear toughened glass. Bespoke glazing options available.













COLOUR FINISHING SERVICE

Hue by Déanta offers you the option to have any of our primed doors customised with our in-house painting service. Choose from a fantastic range of ten modern, bold and striking colours all of which have been carefully developed in line with current interior decorating trends.

This finishing service enables you to easily choose the right door and the right colour to match your home and your individual style.

Add a splash of colour with Hue by Deanta

The Hue by Deanta colour finishing service is available for any primed door in the Deanta range, including the new Urban Collection white primed doors, glazed doors and FD30 fire doors. Choose from our stunning range of 10 colours to find your perfect shade, to complement your home.





If making alterations to your Deanta door, you can use the Hue by Deanta touch-up pots to apply the same high quality paint to exposed edges to restore their original colour. Request a Hue swatch book to find your perfect colour.







Available with any Urban Collection or feature white primed doors



WHITE PRIMED COLLECTION

Features

- + White primed, ready for a one-coat finish of your choice
- + Solid core for extra strength, stability and robustness
- + Choice of glazing options clear toughened glass, frosted glass or bevelled glass
- 32mm can be taken off the width and height of standard doors.
 Please refer to our website for details of trimming fire doors
- + Bespoke sizes are available
- + Covered by Deanta 10 year warranty







COMPLETE THE LOOK Featured skirting and architrave - Ulysses, white primed (page 157) | Featured handle - Fortuna (page 160)

ASCOT WHITE PRIMED

SOLID OPTION

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm / 44mm 🎍 1981 x 762 x 35mm / 44mm 🎍

1981 x 838 x 35mm / 44mm 🎍

Fire door option.

BM TRADA Q-Mark







SIZES

- 1981 x 610 x 35mm 1981 x 686 x 35mm / 44mm 🎍 1981 x 762 x 35mm / 44mm 🌢 1981 x 838 x 35mm / 44mm 🌢 2040 x 726 x 40mm / 44mm 🎍 2040 x 826 x 40mm / 44mm 🎍
- Fire door option.
- BM TRADA Q-Mark





COMPLETE THE LOOK Featured skirting and architrave - Ulysses, white primed (page 157) | Featured handle - Hadrian (page 160)

CAMBRIDGE WHITE PRIMED

GLAZED OPTION

SIZES 1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm

Available with clear toughened glass.









SIZES

- 1981 x 610 x 35mm 1981 x 686 x 35mm / 44mm 🎍 1981 x 762 x 35mm / 44mm 🎍 1981 x 838 x 35mm / 44mm 🎍
- Fire door option.

BM TRADA Q-Mark





Featured skirting and architrave - Shaker, white primed | Featured handle - Augustus

116

PAGE I 1

CANTERBURY WHITE PRIMED

GLAZED OPTION

SIZES 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm

Available with clear bevelled toughened glass.









COMPLETE THE LOOK Featured skirting and architrave - Half splayed, white primed (page 157) | Featured handle - Hadrian (page 160)

Featured skirting and architrave - Shaker, white primed | Featured handle - Hadrian

CHESTER WHITE PRIMED

GLAZED OPTION

SIZES 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm

Available with clear toughened glass.











SIZES

- 1981 x 610 x 35mm / 44mm 🌢 1981 x 686 x 35mm / 44mm 🎍 1981 x 762 x 35mm / 44mm 🎍 1981 x 838 x 35mm / 44mm 🎍 2040 x 626 x 40mm 2040 x 726 x 40mm 2040 x 826 x 40mm 2040 x 926 x 40mm
- Fire door option.

BM TRADA Q-Mark





120

PAGE I

COVENTRY WHITE PRIMED

GLAZED OPTION

SIZES 1981 x 610 x 35mm 1981 x 686 x 35mm / 44mm 🎍 1981 x 762 x 35mm / 44mm 🎍 1981 x 838 x 35mm / 44mm 🎍 2040 x 726 x 40mm * 2040 x 826 x 40mm *

Available with clear toughened or frosted glass. * Clear glazed only. Fire door options clear glazed only.











SIZES

- 1981 x 610 x 35mm 1981 x 686 x 35mm / 44mm 🎍 1981 x 762 x 35mm / 44mm 🎍 1981 x 838 x 35mm / 44mm 🎍 2040 x 726 x 40mm 2040 x 826 x 40mm
- Fire door option.
- BM TRADA Q-Mark





Featured skirting and architrave - Half splayed, white primed | Featured handle - Augustus

DENVER WHITE PRIMED

GLAZED OPTION

SIZES 1981 x 610 x 35mm * 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm

* Clear glazed only Available with clear toughened or frosted glass.









124

PAGE I

Featured skirting and architrave - Half splayed, white primed | Featured handle - Augustus

ELY WHITE PRIMED

GLAZED OPTION

SIZES

- 1981 x 610 x 35mm / 44mm 🎍
- 1981 x 686 x 35mm / 44mm 🎍
- 1981 x 762 x 35mm / 44mm 🎍
- 1981 x 838 x 35mm / 44mm 🎍

Available with clear toughened glass. Bespoke glazing options available.











- 1981 x 533 x 35mm 1981 x 610 x 35mm / 44mm 🌢 1981 x 686 x 35mm / 44mm 🌢 1981 x 762 x 35mm / 44mm 🌢 1981 x 838 x 35mm / 44mm 🌢 2040 x 626 x 40mm 2040 x 726 x 40mm 2040 x 826 x 40mm 2040 x 926 x 40mm
- Fire door option.

BM TRADA Q-Mark





COMPLETE THE LOOK Featured skirting and architrave - Shaker, white primed (page 157) | Featured handle - Invictus (page 160)

ETON WHITE PRIMED

GLAZED OPTION

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm 2040 x 726 x 40mm 2040 x 826 x 40mm

Available with clear toughened glass.



SIZES

- 1981 x 610 x 35mm 1981 x 686 x 35mm / 44mm 🎍 1981 x 762 x 35mm / 44mm 🎍 1981 x 838 x 35mm / 44mm 🎍
- Fire door option.
- BM TRADA Q-Mark





MADISON WHITE PRIMED

GLAZED OPTION

SIZES

1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm

Available with clear bevelled glass.









SIZES

- 1981 x 610 x 35mm / 44mm 🌢 1981 x 686 x 35mm / 44mm 🎍
- 1981 x 762 x 35mm / 44mm 🎍
- 1981 x 838 x 35mm / 44mm 🎍
- Fire door option.

Solid FD30 doors acoustic tested up to 31dB BM TRADA Q-Mark





Featured skirting and architrave - Half splayed, white primed | Featured handle - Augustus

PAGE | 130

PAMPLONA WHITE PRIMED

GLAZED OPTION

SIZES

- 1981 x 610 x 35mm / 44mm 🎍 1981 x 686 x 35mm / 44mm 🎍 1981 x 762 x 35mm / 44mm 🎍
- 1981 x 838 x 35mm / 44mm 🎍

Available with clear toughened glass. Bespoke glazing options available.









PAGE | 132



SIZES

- 1981 x 610 x 35mm / 44mm 🌢 1981 x 686 x 35mm / 44mm 🎍 1981 x 762 x 35mm / 44mm 🎍 1981 x 838 x 35mm / 44mm 🎍
- Fire door option.
- BM TRADA Q-Mark





Featured skirting and architrave - Shaker, white primed | Featured handle - Invictus

RAVELLO WHITE PRIMED

GLAZED OPTION

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm

Available with clear toughened glass.









COMPLETE THE LOOK Featured skirting and architrave - Half splayed, white primed (page 157) | Featured handle - Augustus (page 160)

PAGE | 134

Featured skirting and architrave - Victoriana, white primed | Featured handle - Veritas

ROCHESTER WHITE PRIMED

GLAZED OPTION

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm

Available with clear toughened glass.









SIZES

1981 x 610 x 35mm / 44mm 🌢 1981 x 686 x 35mm / 44mm 🎍 1981 x 762 x 35mm / 44mm 🎍 1981 x 838 x 35mm / 44mm 🎍 2032 x 813 x 35mm 2040 x 626 x 40mm 2040 x 726 x 40mm / 44mm 🌢 2040 x 826 x 40mm / 44mm 🌢 2040 x 926 x 40mm / 44mm 🌢

Fire door option.

Solid FD30 doors acoustic tested up to 31dB

BM TRADA Q-Mark





SEVILLE WHITE PRIMED

GLAZED OPTION

SIZES

- 1981 x 610 x 35mm / 44mm 🌢
- 1981 x 686 x 35mm / 44mm 🎍
- 1981 x 762 x 35mm / 44mm 🎍
- 1981 x 838 x 35mm / 44mm 🎍

Available with clear toughened glass. Bespoke glazing options available.





SIZES

- 1981 x 610 x 35mm / 44mm 🌢 1981 x 686 x 35mm / 44mm 🎍 1981 x 762 x 35mm / 44mm 🎍 1981 x 838 x 35mm / 44mm 🎍
- Fire door option.

BM TRADA Q-Mark





Featured skirting and architrave - Ulysses, white primed | Featured handle - Fortuna

PAGE I 138

WINDSOR WHITE PRIMED

GLAZED OPTION

SIZES

1981 x 610 x 35mm 1981 x 686 x 35mm 1981 x 762 x 35mm 1981 x 838 x 35mm

Available with clear bevelled glass.









PAGE | 140



Deanta Folding Systems offer flexible room divider solutions, allowing you to enjoy both large open-plan living areas and more intimate, segmented spaces. With a wide choice of door designs and finishes from the Deanta range and 12 opening configurations, a Deanta Folding System can be created to suit any home.

Folding Door Systems













Configuration: 2 + 0 | Featured door - Montreal dark grey ash glazed
SELECT OPENING WIDTH AND CONFIGURATION

OPENING WIDT	ΓH	CO	NFIGURATIONS	
610мм	686мм			
1295мм	1447мм		2 + 0	
1908мм	2136мм		3 + 0	
1908мм	2136мм		2 + 1	
2521мм	2825мм	\bigtriangledown	2 + 2	\bigtriangledown
2521мм	2825мм		4 + 0	
2521мм	2825мм		3 + 1	

Please allow 10mm on outer frame width for recommended structural opening width. Outer frame height can be adjusted between 2050mm and 2060mm dependent on flooring detail.

Linings are supplied oversize to allow them to be cut to suit.

CHOOSE YOUR DOOR



Deanta Folding Systems offer you the freedom to choose from a variety of doors from the Deanta range to achieve your desired look. The doors above are the most popular choices. We supply door linings in oak, walnut and white primed finishes to complement your door selection and complete the folding system.



Configuration: 3 + 0 $\mid~$ Featured door - Coventry white primed glazed



déanta POCKET DOORS

Deanta Pocket Door Systems can transform and maximise the space in your home. With space a premium inside the home, pocket doors are the ideal solution. Without the swing of the door, you have more room for furniture, the ability to create additional rooms, or simply to add some extra space.

Pocket doors are no longer used just for small cupboards or utility rooms. Create a feature with Deanta double pocket doors leading from a dining room to living room, or kitchen. Increase your space with this great feature and upgrade your interior.

Pocket Door Systems

Deanta Pocket Door Systems neatly conceal internal sliding doors within the wall cavity, creating a significant impact on both usable space and perceived available space. This increases flexibility and makes the room feel lighter and airier.

Designed to work in partition walls, each pocket door system comes with a pre-assembled aluminium track and header mechanism, allowing for stable and smooth sliding of the door along the track.

Deanta Pocket Door Systems are compatible with the majority of Deanta doors - including the NEW Urban Collection doors - and include all the necessary hardware. In particular, the door jambs included in the system, will provide the finishing touch that you need to conceal the sliding system.

Our pocket door system can be upgraded with add-ons such as a soft close, a self-closing kit or a bathroom lock.

For further information visit our website at www.deanta.co.uk









Features

- + Deanta Pocket Doors are recessed straight into a partition wall
- + Under door profile for stable and smooth sliding of the door
- + Round flush pull handle with a satin chrome or black finish
- + Round bathroom lock with satin chrome or black finish
- + Door jambs included
- + Covered by the Deanta 10 year warranty



Featured door - Dalston white primed



SIZING

DOOR SIZE (MM)	OPENING (MM)	SINGLE DOOR OVERALL DIMENSIONS (MM)	OPENING (MM)	OVERALL DIMENSIONS (MM)
1981 x 686 x 35	660 x 1970	1470 × 2060	1320 x 1970	2830 × 2060
1981 x 762 x 35	740 x 1970	1650 x 2060	1480 x 1970	3190 x 2060
1981 x 838 x 35	810 x 1970	1720 x 2060	1620 x 1970	3330 × 2060
2040 x 726 x 40	700 x 2030	1510 x 2120	1400 x 2030	2910 x 2120
2040 x 826 x 40	800 x 2030	1710 × 2120	1600 × 2030	3310 x 2120

ADD-ONS

- + Soft close
- + Bathroom lock
- + White primed architrave
- + Simultaneous closer for double door system

ROUND FLUSH HANDLES / BATHROOM LOCKS









Satin chrome finish

Matt black finish

Satin chrome finish

Matt black finish



Featured door - Camden white primed



SKIRTING & ARCHITRAVE

Our range of skirting, architrave and door lining sets use the same veneers as our doors to complement them perfectly.

HALF SPLAYED Oak / Walnut / White Primed



SHAKER Oak / Walnut / White Primed



American white oak veneer / walnut veneer / white primed Prefinished / primed MDF core

SIZES Skirting: 3.6M x 145mm x 16mm (Sold in packs of four) Architrave: 90mm x 16mm

KEY FEATURES American white oak veneer / walnut veneer / white primed Prefinished / primed

MDF core

KEY FEATURES

Prefinished MDF core

Real American white oak veneer

KEY FEATURES

SIZES Skirting: 3.6M x 145mm x 16mm (Sold in packs of four) Architrave: 80mm x 16mm

KEY FEATURES White primed MDF core

ULYSSES White Primed

SIZES Skirting: 3.6M x 145mm x 18mm (Sold in packs of four) Architrave: 90mm x 18mm

VICTORIANA White Primed

KEY FEATURES White primed MDF core

SIZES Skirting: 3.6M x 180mm x 18mm (Sold in packs of four) Architrave: 100mm x 18mm

DOOR LINING SETS Oak / Walnut / White Primed

KEY FEATURES Real American white oak / walnut veneer or white primed Prefinished / primed

MDF core

Sapelle option available





TRADITIONAL Oak





SIZES Skirting: 3.6M x 145mm x 16mm (Sold in packs of four) Architrave: 80mm x 16mm





SIZES

- Door lining set: 133mm / 108mm x 30mm (removable stop included)
- Fire-rated set includes 15mm x 4mm Lorient fire seal
- (Sets cover both sides of door)











We offer a range of stylish internal hardware to complement our doors. From handles to hinges and locks to latches, whatever your taste, we have something for you.

AUGUSTUS Matt / Polished Chrome

FORTUNA Satin



KEY FEATURES 50mm x 8mm sprung rose Suitable for 35mm and 44mm doors 10 year warranty

HADRIAN Matt Satin Black



KEY FEATURES 50mm x 8mm sprung rose Suitable for 35mm and 44mm doors 10 year warranty

VERITAS Polished Chrome



KEY FEATURES 50mm x 8mm sprung rose Suitable for 35mm and 44mm doors 10 year warranty



KEY FEATURES 50mm x 8mm sprung rose Suitable for 35mm and 44mm doors 10 year warranty

INVICTUS Matt Satin Black



KEY FEATURES 50mm x 8mm sprung rose Suitable for 35mm and 44mm doors 10 year warranty



KEY FEATURES 50mm x 35mm x 8mm sprung rose Suitable for 35mm and 44mm doors 10 year warranty

JUNO Satin Brass

ARES Matt Black



KEY FEATURES 50mm x 35mm x 8mm sprung rose Suitable for 35mm and 44mm doors 10 year warranty

ARGO Satin Nickel & Chrome



KEY FEATURES

50mm x 35mm x 8mm sprung rose Suitable for 35mm and 44mm doors

10 year warranty

Urban Collection hardware has been specifically designed for the doors in the Urban Collection but can be used on all doors in this brochure.

HARDWARE / HANDLES

Satin Brass



Matt Black





STEEL HINGES Radius / Square





KEY FEATURES Mild steel 76 x 50 x 2mm BN EN 1935

SASH LOCK Radius / Square



В

KEY FEATURES

3 lever mortice 2.5″ Satin nickel finish

LATCH Radius / Square





KEY FEATURES Radius / square tubular - 2.5" or 3.0" Satin nickel finish Certifire-rated / non fire rated

0

STEEL HINGES Radius / Square

KEY FEATURES
Stainless steel
102 x 76 x 3mm
BN EN Grade 13
Certifire-rated

BATHROOM LOCK Radius / Square



KEY FEATURES 3 lever mortice 2.5″

Satin nickel finish

SLIM EURO PROFILE SASH LOCK





KEY FEATURES 22mm x 240mm Black steel or stainless steel finish Striking plate and fixing screws

CYLINDER LOCK Matt Black / Satin Nickel





KEY FEATURES Satin nickel or matt black finish Key and knob lock

STEEL HINGES Radius / Square





KEY FEATURES Black steel 76 x 50 x 2mm BN EN 1935

THE URBAN COLLECTION / HARDWARE / LOCKS & LATCHES

SLIM LATCH







KEY FEATURES

22mm x 150mm

Black steel or stainless steel finish

Striking plate and fixing screws

SLIM BATHROOM LOCK







KEY FEATURES

22mm x 240mm

Black steel or stainless steel finish

Striking plate and fixing screws

THUMB-TURN LOCKS Matt Satin Black / Polished Chrome / Satin











Matt satin black finish

Matt / polished chrome finish

Polished chrome finish

Satin finish

URBAN COLLECTION SLIM THUMB-TURN LOCKS Satin Brass / Polished Nickel & Chrome / Matt Black

Polished nickel and chrome finish



Satin brass finish





Matt black finish

162

PAGE I 1

URBAN COLLECTION ESCUTCHEONS Satin Brass / Polished Nickel & Chrome / Matt Black





Polished nickel and chrome finish



Matt black finish





3" SIGNS Steel





DISABLED PICTOGRAM



MALE PICTOGRAM



FEMALE PICTOGRAM



UNISEX PICTOGRAM





Features unique curved fins made from flexible elastometric material for performance and durability. Installed at the head and jambs of single and double leaf doors.

DS door seal offers the ultimate in acoustic,

smoke + fire protection, with the added benefit

of thermal containment.

BATWING® acoustic + smoke seal



10

LAS8001 SI Drop Seal



Fire door seals offer the ultimate in fire protection where no smoke sealing is required - or with an additional smoke and acoustic seal such as

Aluminium based drop seal for acoustic, smoke and energy containment. Features a high

efficiency mechanism which lifts the seal clear of

the floor as soon as the door is opened. Fitted

onto single swing doors, for use on both right

DS fire seal

Batwing[®].

and left-handed doors.









Premium flush doors available in nine finishes. Complete your door with unlimited aperture styles, five glazing options, hardware, skirting & architrave and fire and acoustic seals.

Deanta Architectural Doors

Our Architectural range offers our customers an extensive choice of internal doors, aperture options and glazing types providing maximum

Certification

Certifire is a UKAS accredited, independent third-party product certification scheme operated by Warringtonfire Testing and Certification Limited. FD30 doors certified to the Certifire scheme are clearly identified as such on each product page.

All of our Deanta Architectural doors are FSC® certified, guaranteeing the timber is harvested in a way that maintains forests' biodiversity, productivity and ecological processes.











ASK YOUR MERCHANT FOR A COPY OF THE LATEST DEANTA ARCHITECTURAL BROCHURE TODAY



Bespoke Doors

Your door. Your size. Your style. Our pleasure.

Choose a bespoke size of any door in this brochure or even design your perfect door and our skilled craftsmen will bring your ideas to life.

Simply follow our four steps to get your perfect door.

Please visit our website at: deantabespoke.co.uk for more information.

STEP 1

STEP 2

STEP 3

door will go into production and lead time confirmed

STEP 4

Your bespoke doors are delivered direct to your home



Bespoke Glazing Service

Bespoke glazing is available for a number of the doors in this brochure. The doors are cut and glazed in our glazing centre right here in Cambridgeshire with a lead time of three to four weeks.

Design

Choose your aperture size and configuration and select from a range of glazing types. The bespoke glazing service is available for regular glazing and fire glazing.

Choice

Choose from fifteen specially selected doors and unlimited aperture options. The doors that are able to be customised are identified on the product pages.

Certification

Ve extensively test our product ange through independent, thirdparty certification schemes. These accreditations are detailed on the apposite page.

Certification

Certifire is a UKAS accredited, independent third-party product certification scheme operated by Warringtonfire Testing and Certification Limited. FD30 doors certified to the Certifire scheme are clearly identified as such on each product page. Additionally, all of our fire doors are Q-Mark approved.

A number of our aperture options are compliant with Approved Document M: Access to and use of buildings, Part K6. Compliant options are highlighted below.







The highlighted doors comply with Approved Document M: Access to and use of buildings

GLAZING OPTIONS

Choose from standard non fire-rated glass to 30 minute and 60 minute fire-rated with wired options. We are proud stockists of Pilkington. We use Pyorodur[®] and Pyoroshield[™] glass in all our bespoke glazed fire doors. We can also supply 30 minute satin fire-rated glass upon request.









Fire Safety

only meets the required standards, but exceeds them. We invest heavily in research and development to provide you with the safest, most reliable fire door products on the market.



Fire Door Manufacture	bmtrada	UKAS CHIMBER
--------------------------	---------	-----------------

BM TRADA Q-Mark

The BM TRADA Q-Mark scheme is based on the recognised Product The plug to identify a Q-Mark accredited product will be located on the Certification Standard EN ISO/ICE 17065 and confirms that a product top of the door. conforms to the requirements of an appropriate recognised product Scheme Technical Document. BM TRADA Q-Mark products feature a Outer colour – indicates the period of fire integrity e.g. 30, 60, 90 or up plug identifying them as such.



to 120 minutes of fire protection.

Deanta is an approved door leaf and/or frame manufacturer (only valid for FD30 & FD60 doors) which is indicated by the red inner colour.

The number located in the centre is the unique certified company number.









Being Responsible

At Deanta we want to provide the best products without compromising on our commitment to ensure sustainability throughout our supply chain and to our environmental responsibilities. We are focused on reducing our carbon footprint, helping to protect our planet, and ensuring we have a positive impact on our society, economy, and the environment. At Deanta we have implemented many schemes to achieve this commitment.

At a time where there is continued depletion of natural resources it is our responsibility to ensure that we are using timber from forests that use best practice and recognised schemes to maintain forest biodiversity, productivity and ecological processes as well as protecting the rights of the local people.

FSC®

We are certified by the Forest Stewardship Council® (FSC®) and all our prefinished products are made using FSC® Certified materials and this is indicated on the individual product pages of this brochure. For products which do not currently carry FSC® certification we are able to trace the timber to managed forests ensuring that we are providing products that are sustainably sourced.





















Important Information

We offer a limited ten year warranty on all our doors. Any Deanta door that warps* or splits will be covered by our warranty once the installation has met all guidelines. Please note colour variance in the wood is not considered a manufacturing fault as it is a natural product.

THE FOLLOWING MUST BE CARRIED OUT TO ENSURE THE BEST PERFORMANCE FROM YOUR DEANTA DOOR

- All doors must be examined immediately on receipt and prior to installation as claims or faults will not be accepted once the door has been installed or altered. This excludes manufacturing faults that occur after hanging.
- Doors must be stored horizontally on a clean, dry, flat and level surface.
- Doors must not be fitted in a house that is freshly plastered and doors should only be delivered to site after all wet trades are finished and sufficiently dried. A moisture reading taken by an engineer must be recorded.
- For doors to acclimatise, they should be left in the house prior to installation for at least seven days with the ambient temperature gradually increased over this period.
- Should a door require alteration, cutting or planing, it must be immediately revarnished to prevent moisture absorption which may lead to warping or splitting.
- Take no more than 32mm** off the width and height of doors in equal amounts on all edges.
- Planed edges of prefinished doors must be refinished using three coats of internal wood finish.
- Three coats of internal wood finish are required on unfinished doors and on any modifications to a prefinished door including the ironmongery and hinge cut-outs.
- We recommend the use of three hinges per door.
- We recommend varnish and lacquers that are suitable for interior joinery. If using oils please contact Deanta for recommended brands.
- Ten year warranty on hardware (handles and locks) refers to mechanical faults. General wear and tear from use is not covered by this warranty.

UNDER OUR WARRANTY, OUR LIABILITY IS LIMITED TO REPLACING THE DOOR AND NO LIABILTY IS ACCEPTED FOR ANY CONSEQUENTIAL COSTS. ALTERATION OF A DEANTA DOOR WILL VOID THE WARRANTY.

* Warp/bow/cup/twist (as set out in the relevant British Standard) shall not be considered a defect unless it exceeds 1/4 inch (6.35mm) in the plane of the door itself. Warp is any distortion in the door itself and does not refer to the relationship of the door to the frame or jamb in which it is hung.

** Refer to our website for details on trimming fire doors.

For more information on our warranty and for full terms and conditions please visit our website at: deanta.co.uk.

STOCKISTS

We have stockists throughout the UK. To find your nearest retailer please visit our website.